

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (currently amended): A personal gas supply delivery system comprising:

a moisturizing vessel, for when in use, having the capability to contain a liquid to provide a source of moisture to increase the amount of moisture in a gas passing through the liquid,

said moisturizing vessel having a first opening for receiving an influent gas,

said moisturizing vessel having a second opening for an effluent gas,

a first conduit connected with said second opening, said first conduit for when in use, for receiving the effluent gas,

a gas flow alarm connected with said first conduit, and

a second conduit connected with said gas flow alarm, said second conduit in fluid communication with said first conduit,

said gas flow alarm for determining the instantaneous pressure or flow volume of the influent gas and the effluent gas;

said second conduit has a length such that the gas flow alarm, when in use by a recipient of the effluent gas, is proximate to the recipient of the effluent gas, provided further that said personal gas supply delivery system has a gas flow alarm reset or test feature having an anterior surface where a switch to operate the alarm reset or the test feature is located substantially flush with or below the said anterior surface.

Claim 3. (previously presented): The personal gas supply delivery system according to claim 1 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when the pressure of the influent gas and the effluent gas has met at least one predetermined setting.

Claim 4. (previously presented): The personal gas supply delivery system according to claim 1 wherein the gas flow alarm is set to alert the recipient of the effluent gas by at least one of an audible signal, a visual signal, and a vibratory signal.

Claim 5. (previously presented): The personal gas supply delivery system according to claim 1 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when the pressure of the influent gas and the effluent gas has met at least one predetermined setting and the alerting of the subject is by visible light.

Claim 6. (previously presented): The personal gas supply delivery system according to claim 1 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when the pressure of the influent gas and the effluent gas has met at least one predetermined setting and the alerting of the subject is audible.

Claim 7. (canceled).

Claim 8. (canceled).

Claim 9. (previously presented): The personal gas supply delivery system according to claim 1 wherein the gas flow alarm is set to alert a second person by means of a transmitter and a receiver that the pressure or volume per unit of time of the influent gas and the effluent gas has met at least one predetermined setting.

Claim 10. (previously presented): The personal gas supply delivery system according to claim 9 wherein the second person is alerted by a radio signal.

Claim 11. (currently amended): A personal gas supply delivery system comprising:

a moisturizing vessel, for when in use, having the capability to contain a liquid to provide a source of moisture to increase the amount of moisture in a gas passing through the liquid,

said moisturizing vessel having a first opening for receiving an influent gas,

said moisturizing vessel having a second opening for an effluent gas,

a first conduit connected with said second opening, said first conduit for when in use, for receiving the effluent gas,

a gas flow alarm connected with said first conduit, and

a second conduit connected with said gas flow alarm, said second conduit in fluid communication with said first conduit,

said second conduit is unitary and connecting with a binary nasal cannula;

said gas flow alarm for determining an instantaneous difference in the pressure or volume of the influent gas per unit of time and the volume of the effluent gas per unit of time,

provided further that said personal gas supply delivery system has a gas flow alarm reset or test feature having an anterior surface where a switch to operate the alarm reset or the test feature is located substantially flush with or below the said anterior surface.

Claim 12. (canceled).

Claim 13. (previously presented): The personal gas supply delivery system according to claim 11 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when an instantaneous difference in the volume of the influent gas per unit of time and the volume of the effluent gas per unit of time has met at least one predetermined setting.

Claim 14. (previously presented): The personal gas supply delivery system according to claim 11 wherein the gas flow alarm is set to alert the recipient of the effluent gas by at least one of an audible signal, a visual signal, and a vibratory signal.

Claim 15. (previously presented): The personal gas supply delivery system according to claim 11 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when the volume of the influent gas and the effluent gas has met at least one predetermined setting and the alerting of the subject is by visible light.

Claim 16. (previously presented): The personal gas supply delivery system according to claim 11 wherein the gas flow alarm is set to alert a subject desiring to receive the effluent gas when the volume of the influent gas and the effluent gas has met at least one predetermined setting and the alerting of the subject is audible.

Claim 17. (previously presented): The personal gas supply delivery system according to claim 1 further comprising a reset or test feature.

Claim 18. (canceled).

Claim 19. (previously presented): The personal gas supply delivery system according to claim 18 wherein the gas flow alarm is set to alert a second person by means of a transmitter and a receiver that the pressure or the volume per unit of time of the influent gas and the effluent gas has met at least one predetermined setting.

Claim 20. (previously presented): The personal gas supply delivery system according to claim 19 wherein the second person is alerted by the receiver.